ITS USE IN DISEASES GLYCO-THYMOLINE. of the

ALIMENTARY CANAL,

ELMORE PALMER, M. D.,

Medical Society, Western New York Buffalo, N. Y. Ex-President

NATIONAL LIBRARY OF MEDICINE Bethesda, Maryland

Ann Smith, R.N. In memory of

Jane B. Lossing



GLYCO-THYMOLINE.

ITS USE IN DISEASES OF THE ALIMENTARY CANAL,

By

ELMORE PALMER, M. D.,
Buffalo, N. Y.

CHRONIC ENTERITIS.

CASE I.—J. F., a boy, age 5 years. Chronic enteritis following cholera infantum. Was brought to my office in his father's arms a living skeleton. Thin watery discharges from bowels, streaked with occasional blood, every half to one hour. This being a desperate case I began heroic treatment at once by giving a half of a teaspoonful of Glyco-Thymoline in water after every movement of the bowels; a colonic flushing of 50 per cent. Glyco-Thymoline was given hot. In three hours decided signs of more life was noticed. Treatment continued for 24 hours when a favorable prognosis was made. The dose of Glyco-Thymoline was gradually lessened as recovery proceeded until at the end of a week the child was well. I was pleased and the parents happy.

CHOLERA INFANTUM.

CASE II.—Baby, girl, 8 months old. Cholera infantum. Bottle fed. Cold collapsed stage almost complete. Glyco—Thymoline in hot solution in appropriate doses, both by mouth and the rectum, together with external heat proved curative in 18 hours. Recovery complete without any interruption.

PERSISTENT VOMITING.

vomiting. There did not seem to be much else the matter with the child. Could not account for the cause unless it was in the food. Experimentally I gave the child ten drops of Glyco-Thymoline in warm water every two hours until vomiting ceased, which was in twelve hours. Also added a few drops to each bottle of food. Continued this treatment for three or four days when the child was well.

CHRONIC COLITIS.

CASE IV .-- Miss V. C. K., age 23. Been afflicted for three years with chronic colitis. Had been treated by many different physicians without any permanent relief. The most pronounced symptom was pain all the time in region of colon; weak, emaciated, sallow, six to a dozen bowel movements daily. This patient excited my sympathy very much. She was discouraged and wanted to die. I assured her that she certainly could be helped and probably cured. I began by arousing the secretions with small dozes of mercury, chalk and bismuth, followed by a saline. Irrigated the colon every night and morning with a 50 per cent. solution of Glyco-Thymoline quite warm. Gave her a teaspoonful of same every three hours. A decided improvement was noticed in 24 hours. Bowel movements reduced to four or five a day, pain materially lessened and appetite improved. After the first week only one irrigation of colon was used daily and medicine by mouth every six hours. Her improvement was marvelously rapid, when at the end of five weeks she was pronounced cured. This was eleven months ago. No return.

ACUTE DIARRHOEA.

CASE V.—C. F. S., man, age 28. A persistent acute diarrhoea. Ordinary treatment failed to control it. Colonic flushing twice a day with a 50 per cent. solution of Glyco-Thymoline (Kress) hot with proper regulation of diet cured him in just six days.

ENTERO-COLITIS.

CASE VI.—Mrs. G. H., age 49. Entero—colitis. More or less constipated all her life, of late rapidly growing worse; much pain in region of colon, quite tympanitic, some nausea, slight rise in temperature. This was her condition when I was called. A diagnosis of appendicitis had been made by two physicians and arrangements for an operation were in progress. I prevailed upon the friends to delay the operation for 24 hours and then if the patient was no better, I would consent. I began treatment at once by placing the patient as soon as possible under the full influence of Hyoscyamin Amorphous to control the pain and gave Arsenite of Strychnine for support.

Irrigated colon every three hours with a 50 per cent. solution of Glyco-Thymoline, hot, applied moist heat externally. A decided change for the better was noticed from the start. In less than the appointed time the idea of an operation was given up and with a continuance of the treatment as indicated from day to day, the patient was convalescent in nine days and went on to a rapid restoration of perfect health.

TYPHOID FEVER.

CASE VII.—Mrs. E. C. P., age 27. Had typhoid fever. I was called in consultation. Found patient with a tympanitic abdomen, temperature 104.8, bowels running off every one or two hours; perforation feared, much subsultus, prognosis doubtful. Stopped all treatment except a little strychnia to sustain the heart and began at once giving Glyco-Thymoline in one-half teaspoonful doses in sterilized hot water every twenty minutes to one-half hour, also gave it per rectum after every discharge. The result was most magical. Within six hours a decided improvement was noticed. In 24 hours tympanites nearly all gone, subsultus entirely stopped; temperature 100.3 and skin slightly moist. We crowded the strychnia with addition of stimulants, not forgetting the Glyco-Thymoline, which I am positive saved her life. A rapid recovery was the result.

KRESS & OWEN COMPANY,
210 Fulton Street, New York, U.S.A.
Manufacturers Glyco-Thymoline and K. & O. Nasal Douche.

Agents for Great Britain:
THOS. CHRISTY & CO.,
4-10 and 12 Old Swan Lane, London, E. C.

Canadian Agents:
LYMAN SONS & CO., Montreal;
and All Wholesale Druggists.

Glyco-Thymoline can also be obtained from the wholesale and retail Chemists and Pharmacists in all civilized countries of the world.